

STATE OF FLORIDA  
DEPARTMENT OF HEALTH  
COUNTY HEALTH DEPARTMENT  
FOOD SERVICE  
INSPECTION REPORT



**Facility Information**

**RESULT: Satisfactory**

Permit Number: 13-48-11008  
Name of Facility: Pinecrest Elementary/ Loc.# 4421  
Address: 10250 SW 57 Avenue  
City, Zip: Pinecrest 33156  
  
Type: School (more than 9 months)  
Owner: M-DCSB Food and Nutrition  
Person In Charge: Lynn Zaldua Phone: 305-665-4051  
PIC Email: lynnzaldua@dadeschools.net

**Inspection Information**

Purpose: Routine	Number of Risk Factors (Items 1-29): 0	Begin Time: 08:00 AM
Inspection Date: 2/3/2021	Number of Repeat Violations (1-57 R): 1	End Time: 10:20 AM
Correct By: Next Inspection	Facility Grade: N/A	
<b>Re-Inspection Date: None</b>	StopSale: No	

*Marking Key: IN=the act or item was observed to be in compliance; OUT=the act or item was observed to be out of compliance; NO=the act or item was not observed to be occurring at the time of inspection; NA=the act or item is not performed by the facility; COS=violation corrected on site; R=repeat violation from previous inspection*

**FoodBorne Illness Risk Factors And Public Health Interventions**

**SUPERVISION**

- IN** 1. Demonstration of Knowledge/Training
- IN** 2. Certified Manager/Person in charge present

**EMPLOYEE HEALTH**

- IN** 3. Knowledge, responsibilities and reporting
- IN** 4. Proper use of restriction and exclusion
- IN** 5. Responding to vomiting & diarrheal events

**GOOD HYGIENIC PRACTICES**

- IN** 6. Proper eating, tasting, drinking, or tobacco use
- IN** 7. No discharge from eyes, nose, and mouth

**PREVENTING CONTAMINATION BY HANDS**

- IN** 8. Hands clean & properly washed
- IN** 9. No bare hand contact with RTE food
- IN** 10. Handwashing sinks, accessible & supplies

**APPROVED SOURCE**

- IN** 11. Food obtained from approved source
- IN** 12. Food received at proper temperature
- IN** 13. Food in good condition, safe, & unadulterated
- NA** 14. Shellstock tags & parasite destruction

**PROTECTION FROM CONTAMINATION**

- IN** 15. Food separated & protected; Single-use gloves

- IN** 16. Food-contact surfaces; cleaned & sanitized

- IN** 17. Proper disposal of unsafe food

**TIME/TEMPERATURE CONTROL FOR SAFETY**

- IN** 18. Cooking time & temperatures
- IN** 19. Reheating procedures for hot holding
- IN** 20. Cooling time and temperature
- IN** 21. Hot holding temperatures
- IN** 22. Cold holding temperatures
- IN** 23. Date marking and disposition
- NA** 24. Time as PHC; procedures & records

**CONSUMER ADVISORY**

- NA** 25. Advisory for raw/undercooked food

**HIGHLY SUSCEPTIBLE POPULATIONS**

- IN** 26. Pasteurized foods used; No prohibited foods

**ADDITIVES AND TOXIC SUBSTANCES**

- IN** 27. Food additives: approved & properly used
- IN** 28. Toxic substances identified, stored, & used

**APPROVED PROCEDURES**

- NA** 29. Variance/specialized process/HACCP

Inspector Signature:

Client Signature:

*Emal to Lynn Zaldua/2-3-2021*

**STATE OF FLORIDA  
DEPARTMENT OF HEALTH  
COUNTY HEALTH DEPARTMENT  
FOOD SERVICE  
INSPECTION REPORT**



**Good Retail Practices**

<b>SAFE FOOD AND WATER</b>	
<u>IN</u> 30. Pasteurized eggs used where required	<u>IN</u> 46. Slash resistant/cloth gloves used properly
<u>IN</u> 31. Water & ice from approved source	<b>UTENSILS, EQUIPMENT AND VENDING</b>
<u>NA</u> 32. Variance obtained for special processing	<u>OUT</u> 47. Food & non-food contact surfaces
<b>FOOD TEMPERATURE CONTROL</b>	<u>IN</u> 48. Ware washing: installed, maintained, & used; test strips
<u>IN</u> 33. Proper cooling methods; adequate equipment	<u>OUT</u> 49. Non-food contact surfaces clean (R)
<u>IN</u> 34. Plant food properly cooked for hot holding	<b>PHYSICAL FACILITIES</b>
<u>IN</u> 35. Approved thawing methods	<u>IN</u> 50. Hot & cold water available; adequate pressure
<u>IN</u> 36. Thermometers provided & accurate	<u>OUT</u> 51. Plumbing installed; proper backflow devices
<b>FOOD IDENTIFICATION</b>	<u>IN</u> 52. Sewage & waste water properly disposed
<u>IN</u> 37. Food properly labeled; original container	<u>IN</u> 53. Toilet facilities: supplied, & cleaned
<b>PREVENTION OF FOOD CONTAMINATION</b>	<u>IN</u> 54. Garbage & refuse disposal
<u>IN</u> 38. Insects, rodents, & animals not present	<u>OUT</u> 55. Facilities installed, maintained, & clean
<u>IN</u> 39. No Contamination (preparation, storage, display)	<u>IN</u> 56. Ventilation & lighting
<u>IN</u> 40. Personal cleanliness	<u>IN</u> 57. Permit; Fees; Application; Plans
<u>IN</u> 41. Wiping cloths: properly used & stored	
<u>IN</u> 42. Washing fruits & vegetables	
<b>PROPER USE OF UTENSILS</b>	
<u>IN</u> 43. In-use utensils: properly stored	
<u>IN</u> 44. Equipment & linens: stored, dried, & handled	
<u>IN</u> 45. Single-use/single-service articles: stored & used	

*This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked as "out" violate one or more of the requirements of Chapter 64E-11, the Florida Administrative Code or Chapter 381.0072, Florida Statutes. Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.*

**Violations Comments**

<p>Violation #47. Food &amp; non-food contact surfaces -Repair ice machine with PC31068490 it was reported is not making ice. Work order #10198027 was submitted.</p> <p>-Repair lock doors from freezer #2 with PC #1109807 and freezer #4 with PC #11090808 it was reported that locks are not closing. Wires were observed on freezer handles. Work order #10198328 of freezer #2 and work order #10198326 for freezer #4 were submitted.</p> <p>CODE REFERENCE: 64E-11.003(4). Equipment and utensils must be properly designed, constructed, and in good repair.</p>
<p>Violation #49. Non-food contact surfaces clean -Repair wall AC with PC #1142874 located above the three-compartment sink. Condensation was observed. (Repeated)</p> <p>-Repair wall AC with PC# 1138914 located next to the second serving line. Work order #4164981 was submitted for both AC.</p> <p>CODE REFERENCE: 64E-11.003(4). Non-food contact surfaces shall be kept clean and free of an accumulation of dust, dirt, food residue, and other debris.</p>
<p>Violation #51. Plumbing installed; proper backflow devices -Provide missing backflow preventer on the mop sink. CODE REFERENCE: 64E-11.003(5)(c). Plumbing will be installed and maintained to comply with plumbing requirements, including backflow prevention devices. A mop sink will be provided.</p>
<p>Violation #55. Facilities installed, maintained, &amp; clean -Repair ceiling in dry storage #100D. Paint was peeling from ceiling and moist was observed. Work order #4094298 for ceiling issue was reported since 12/26/2019.</p> <p>CODE REFERENCE: 64E-11.003(5). Floors, walls, and ceilings shall be smooth, durable, easily cleanable, and non-absorbent. Exterior areas shall be kept cleaned.</p>

**Inspector Signature:**

**Client Signature:**

STATE OF FLORIDA  
DEPARTMENT OF HEALTH  
COUNTY HEALTH DEPARTMENT  
FOOD SERVICE  
INSPECTION REPORT



**General Comments**

Satisfactory

Digital thermometer was used to take food temperature.

Temperature taken:

Hot water

Handwashing sink: 117°F

3-compartment sink: 114°F

Mop sink: 111°F

Refrigerators: 32-40 °F

Freezer: 0°F

Hot holding:

Scramble eggs: 156°F

Chicken patty: 150°F

Chicken sausage: 140°F

Cold holding

Milk: 40°F

Inspection was conducted during the COVID-19 pandemic.

Email to: Lynn Zaldua/2-3-2021

Email Address(es): lynnzaldua@dadeschools.net;

lserpa@dadeschools.net;

jaybolton@dadeschools.net;

jware@dadeschools.net;

ipalacios@dadeschools.net

Inspection Conducted By: Lucia Gonzalez Melendez (913031)

Inspector Contact Number: Work: (305) 623-3500 ex.

Print Client Name: Pinecrest Elementary School

Date: 2/3/2021

Inspector Signature:

Client Signature: